

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2327163-0
Report Reference E25549-20230628
Date 29-Jun-2023

Issued to: ASCO, L.P.
160 Park Ave
Florham Park, NJ 07932
United States

This is to certify that representative samples of YTSX2 - Valves, Electric for Use in Hazardous Locations - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 1203, Edition 5, Issued 2013/11/22, Revised 2022/04/05

Additional Information: UL 50E, Edition 3, Issue Date 10/15/2020

UL 122701, Edition 4, Revision Date 09/29/2022

UL 429, Edition 7, Revised Date 2021/03/19

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2327163-0
Report Reference E25549-20230628
Date 29-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Series 327C, may be preceded by 8, G or J, followed by 1 or 3, followed by 0, 1, J or L, followed by 5, followed by F2, F3, F4, F8, FN, FS, FT, FU, TA, TB, TC, TD, TJ, TK, TL, TM, followed by 9YT, 92J, 92K, 92L, 9YU, 9MC, 9MD, or 9W2, followed by H0, H1, H3, H9, HD, HM, HN, HQ, HS, J2, J7, LU or NL for use in Class I, Division 1, Groups B, C and D; Class II, Division 1, Groups E, F and G Hazardous Locations. Provided with process seal, single seal type. Enclosure Type 4X, 6 and 6P.	Electrically Operated Valves for HazLoc

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2323374-0
Report Reference E25549-20230628
Date 29-Jun-2023

Issued to: ASCO, L.P.
160 Park Ave
Florham Park, NJ 07932
United States

This is to certify that representative samples of YTSX8 - Valves, Electric for Use in Hazardous Locations
Certified for Canada - Component
See Addendum Page for Product Designation(s).


Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 No. 30, Edition 4, Issued 2020/04/01
CSA C22.2 No. 25, Edition 4, Issue Date 07/2017 (R. 2022)
CSA C22.2 No. 94.2:20, Edition 3, Issue Date 10/15/2020
CSA C22.2 No. 139-19, Edition 5, Issue Date 12/2019

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2323374-0
Report Reference E25549-20230628
Date 29-Jun-2023

Look for the UL Recognized Component Mark on the product.



Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2323374-0
Report Reference E25549-20230628
Date 29-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Series 327C, may be preceded by 8, G or J, followed by 1 or 3, followed by 0, 1, J or L, followed by 5, followed by F2, F3, F4, F8, FN, FS, FT, FU, TA, TB, TC, TD, TJ, TK, TL, TM, followed by 9YT, 92J, 92K, 92L, 9YU, 9MC, 9MD, or 9W2, followed by H0, H1, H3, H9, HD, HM, HN, HQ, HS, J2, J7, LU or NL for use in Class I, Division 1, Groups B, C and D; Class II, Division 1, Groups E, F and G Hazardous Locations. Provided with process seal, single seal type. Enclosure Type 4X, 6 and 6P.	Electrically Operated Valves for HazLoc

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

