



[1]

UNITED KINGDOM CONFORMITY ASSESSMENT
TYPE EXAMINATION CERTIFICATE

[2]

**Product or Protective System Intended for use in Potentially Explosive Atmospheres
UKSI 2016:1107 (as amended by UKSI 2019:696) – Schedule 3A, Part 1**

[3] Type Examination Certificate No.: **UL22UKEX2361X Rev. 0**
[4] Product: **D2 HART7 PST ESD Switchbox, Model DX*-S*2*******
[5] Manufacturer: **Topworx Inc.**
[6] Address: **3300 Fern Valley Rd., Louisville, KY 40213 USA**

[7] This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

[8] UL International (UK) Ltd certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Schedule 1 of the Regulations. The examination and test results are recorded in the confidential report **UKRCC-4789971696.3**

[9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with:



EN IEC 60079-0:2018 EN 60079-15: 2010 EN 60079-31:2014

Except in respect of those requirements listed at section 19 of the schedule to this certificate.

[10] If the sign "X" is placed after the certificate number, it indicates that the product is subject to specific conditions of use specified in the schedule to this certificate.

[11] This TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Regulations apply to the manufacturing process and supply of this product. These are not covered by this certificate.

[12] The marking of the product shall include the following:

 **II 3 G Ex nA nC IIC T4 Gc**
 **II 3 D Ex tc IIIC T135 °C Dc**

Certification Manager
Andrew Moffat

This is to certify that the sample(s) of the Product described herein ("Certified Product") has been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the UKEx Product Certification Program Requirements. This certificate and test results obtained apply only to the product sample(s) submitted by the Manufacturer. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured product. UL has not established Follow-Up Service or other surveillance of the product. The Manufacturer is solely and fully responsible for conformity of all product to all applicable Standards, specifications, requirements or Directives. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

Date of issue: 2022-06-21

UL International (UK) Ltd Unit 1-3 Horizon Kingsland Business Park Wade Road, Basingstoke RG24 8AH, UK
Phone : +44 (0)1256 312100



[13] **Schedule**
[14] **TYPE EXAMINATION CERTIFICATE No.**
UL22UKEX2361X Rev. 0

[15] Description of Product

The Cat. No. D2 HART7 PST ESD, Model DX*-S*2***** is a switchbox monitor. The equipment consists of the DXP/DXS Enclosure. Internal to the enclosure are three boards: The Main Board, the GO-Switch Board, and the Terminal Board.

Temperature range

The relation between ambient temperature and the assigned temperature class is as follows:

Ambient temperature range	Temperature class
-40°C to +60°C	T4, T135°C
-40°C to +80°C	T4, T135°C

Electrical data

Input to HART module: 24 Vdc max, 20 mA max

Input from External Pilot: 28W max

Input to Switches: 24 Vdc max, 250 mA max

Routine tests:

Electric strength test per Clause 6.5.2 of EN 60079-15 must be conducted on printed wiring boards.

[16] Test Report No. (associated with this certificate issue)

US/UL/ExTR19.0102/04.

[17] Specific conditions of use:

None

[18] Conditions of certification:

None

[19] Essential Health and Safety Requirements (Regulations Schedule 1)

In addition to the Essential Health and Safety Requirements covered by the standards listed at item 9, all other requirements are demonstrated in the relevant reports.

Additional information

The Cat. No. HART7 PST ESD, Model DS-06762-1 has in addition passed the tests for Ingress Protection to IP 66 and IP 67 in accordance with EN60529:1991+A1:2000+A2:2013.

The manufacturer shall inform the approved body concerning all modifications to the technical documentation as described in Annex III to UKSI 2016:1107 (as amended by UKSI 2019:696) – Schedule 3A, Part 1.



[13]

[14]

Schedule
TYPE EXAMINATION CERTIFICATE No.
UL22UKEX2361X Rev. 0

[20] Drawings and Documents

Title:	Drawing No.:	Rev. Level:	Date:
Assembly D2 HART 7 ESD PST	CERT-ES-06761-1	AC	2021-04-05
HART7 ESD Module	ES-06762-1	1	2019-09-10
Group IIC Base machining	ES-00746-1	3	2008-10-31
Group IIC Lid machining	ES-00747-1	4	2008-11-5
Group IIB+H2 Base Machining	S-S01-0007	27	2018-04-04
Bushing	S-S01-0006	4	2018-03-27
Casting DXP Lid	S-S01-0008	23	2018-04-04
Lower Casting DXP	S-S01-0012	23	2014-12-03
Shaft, Standard	S-S01-0016	11	2012-10-30
Shaft, Namur	S-S01-0017	11	2012-10-30
Lower Casting DXS W/ Ports	S-S01-SS07	15	2011-12-06
Lower Casting DXS W/Out Ports	S-S01-SS12	15	2011-11-29
Assembly Drawing D2 HART Terminal	ES-06634-1	2	2020-01-08
Assembly Drawing D2 HART ESD/PST Switch	ES-06638	1	2019-12-11
Assembly Drawing D2 HART ESD/PST Main Bd	ES-06829-1	1	2019-12-12
O-ring AS-586A-010	S-S01-0037	AC	2020-05-28
O-ring, DXP Flange	S-S01-0065	AC	2020-05-28
Assembly DX Hart 7 – Alternate Construction	ES-08672-1	AC	2020-09-14
Switch Assembly DX HART 7 – Alternate Construction	ES-08671-1	AA	2020-07-27
D2-HART Terminal Board - Alternate Construction	ES-08612-1	AA	2021-01-06
DX PST W/HART7 Go Pill – Alternate Construction	ES-08703-1	AB	2021-03-04
Switch Housing – Alternate Construction	ES-08658-1	AC	2021-07-08
Epoxy Duralco 4525	S-C022	AC	2021-03-09
Nameplate, Ex nA nC	CERT-ES-09039-1	AA	2022-06-04
Installation, Operation, Maintenance Manual	ES-08436-1	AB	2022-05-19

