

Certificate of Compliance

Certificate Number:

UL-US-L81878-111-
11302891-3

Report Reference:

E81878-19820311

Issue Date:

2024-03-12

Issued to:

Topworx Inc
3300 Fern Valley Rd Louisville, KY 40213-3528
United States

This certificate confirms that representative samples of:

NRKH - Proximity Switches

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L81878-111-11302891-3
Report reference E81878-19820311
Date 2024-03-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
35 followed by 8, followed by 3, followed by 5, followed by 8, followed by M.	Open type
35N	Proximity switches
71, 72, 73, 74, 75, 76, 77 or 78, may be followed by M, followed by 1, followed by 3, 4, 5 or 6, followed by 2 or 5, followed by 2, 3, 4, 5 or 6, followed by 7 or 8, followed by one to eight numbers and/or letters.	Proximity switches
73, 75, or 77, may be followed by M, followed by 1, followed by 3, followed by 5, followed by 2, 3, 4, 5, or 6, followed by K, followed by F, followed by a number.	Proximity switches
74, may be followed by M, followed by 1, followed by 3, followed by 5, followed by 8, followed by 7 or 8, followed by any letter/number.	Proximity switches
7527-003-251	Proximity switches
7527-004-111	Proximity switches
7527-004-112	Proximity switches
7527-007-110	Proximity switches
7527-007-140	Proximity switches
7A, 7B followed by 7, followed by 3, followed by 2, followed by 2 or 6, followed by 1, followed by 99.	Proximity switches
7C, 7D, 7E, 7G, 7H or 7I	Proximity switches
7F, followed by a letter and a number, followed by 1, 2, 3, 4, 5, 7 or 8, followed by 3, 4 or 5, followed by 2, 5, 6, 7 or 8, followed by 2, 3, 4, 5 or 6, followed by 7 or 8, followed by one to eight letters and/or numbers.	Proximity switches
7G, may be followed by M, followed by 1 or 2, followed by 3, followed by 5, followed by 2, 3, 4, 5, or 6, followed by K, followed by F, followed by a number.	Proximity switches
7J, followed by 1, followed by 3, followed by 5, followed by 2 or 6, followed by 7 or 8, followed by J, followed by S, followed by M or P.	Proximity switches
95LX, followed by 1, followed by B,X,DCA,DCD,or DCG, followed by alphanumeric or none	Proximity switches
TW5* and 95LX Series, may be followed by additional numbers and/or letters.	Proximity switches



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L81878-311-
11302891-3

Report Reference:

E81878-19820311

Issue Date:

2024-03-12

Issued to:

Topworx Inc
3300 Fern Valley Rd Louisville, KY 40213-3528
United States

This certificate confirms that representative samples of:
NRKH7 - Proximity Switches Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L81878-311-11302891-3
Report reference E81878-19820311
Date 2024-03-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
35 followed by 8, followed by 3, followed by 5, followed by 8, followed by M.	Open type
35N	Proximity switches
71, 72, 73, 74, 75, 76, 77 or 78, may be followed by M, followed by 1, followed by 3, 4, 5 or 6, followed by 2 or 5, followed by 2, 3, 4, 5 or 6, followed by 7 or 8, followed by one to eight numbers and/or letters.	Proximity switches
73, 75, or 77, may be followed by M, followed by 1, followed by 3, followed by 5, followed by 2, 3, 4, 5, or 6, followed by K, followed by F, followed by a number.	Proximity switches
74, may be followed by M, followed by 1, followed by 3, followed by 5, followed by 8, followed by 7 or 8, followed by any letter/number.	Proximity switches
7527-003-251	Proximity switches
7527-004-111	Proximity switches
7527-004-112	Proximity switches
7527-007-110	Proximity switches
7527-007-140	Proximity switches
7A, 7B followed by 7, followed by 3, followed by 2, followed by 2 or 6, followed by 1, followed by 99.	Proximity switches
7C, 7D, 7E, 7G, 7H or 7I	Proximity switches
7F, followed by a letter and a number, followed by 1, 2, 3, 4, 5, 7 or 8, followed by 3, 4 or 5, followed by 2, 5, 6, 7 or 8, followed by 2, 3, 4, 5 or 6, followed by 7 or 8, followed by one to eight letters and/or numbers.	Proximity switches
7G, may be followed by M, followed by 1 or 2, followed by 3, followed by 5, followed by 2, 3, 4, 5, or 6, followed by K, followed by F, followed by a number.	Proximity switches
7J, followed by 1, followed by 3, followed by 5, followed by 2 or 6, followed by 7 or 8, followed by J, followed by S, followed by M or P.	Proximity switches
95LX, followed by 1, followed by B,X,DCA,DCD,or DCG, followed by alphanumeric or none	Proximity switches
TW5* and 95LX Series, may be followed by additional numbers and/or letters.	Proximity switches



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

