



## 1. CHECK SIL SAFETY MANUAL FOR SIL SPECIFIC INSTALLATION REQUIREMENTS.

09	PRESSURE TRANSMITTER (OPTIONAL)									RTR		
08	RADAR LEVEL GAUGE										RTR	
07	BALL VALVE										RTR	
06	CLOSING ACC. TO ANSI B16.5										RTR	
05	VESSEL FLANGE									CUSTOMER		
04	GASKET, SOFT OR METALLIC TYPE									CUSTOMER		
01-03	SCREW/NUT/WASHER ACC. TO ASME B16.5 OR EN1092-1									CUSTOMER		
POS	ITEM DESCRIPTION									SUPPLIER		
ISSUED BY EME-MJ APPROVED BY		WEEK 1903 WEEK	PRODUCT CODE 5900 ORIGINAL DWG NO.	FILE ACA	SCALE	MECHA 5900 L	NICAL I	NSTAL 3 ANT	ENNA	(PTFE)	)	
EME-MH 1904 - ATTACHED TO VESSEL BOTTOM 1 ST ANGLE DOC TYPE DWG NO.  LAYOUTVÄGEN 1, 435 33 MÖLNLYCKE , SWEDEN 02 D 700005-482									SHEET 01/01			
THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT OUR AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN.												